

Boyer Norstar 80

Anwendung: Newspapers, direct mail, free-sheets, directories, supplements, inserts/flyers, magazines, books

Norstar has been specifically developed to assist the printer to maximise the cold set web offset quality.

As a result of reduced dot gain and improved ink hold-out, half-tone reproduction is clear and sharp; it can lead to a cold set web offset printing result that approximates that of heat set web offset.

Grundlegende Merkmale	ISO				
Flächenbezogene Masse	(ISO 536)	(g/m ²)	50	55	60
Dicke	(ISO 534)	(µm)	80	83	94
Rauhigkeit (PPS 1MPa)	(ISO 8791-4)	(µm)	3.7	3.7	4.1
Weisse, D65/10 (UV)	(ISO 2470)	(%)	80	80	80
L*	(ISO 5631-2)	(D65/10°)	88.2	89.2	89.2
a*	(ISO 5631-2)	(D65/10°)	-1.3	-1.3	-1.3
b*	(ISO 5631-2)	(D65/10°)	-3.0	-1.35	-1.35
Opazität	(ISO 2471)	(%)	91	92	93

PRODUKTFAMILIE:
Norbright, Norstar,
NorX

DRUCKVERFAHREN:
Cold set web offset

OBERFLÄCHE:
Matt

HERSTELLER:
Boyer Norstar 80

Norske Skog Boyer
Norstar 80 ist
zertifiziert nach:

ISO 14001
PEFC
FSC