

Skogn Norbright 68

Utilisation finale: Newspapers, direct mail, free-sheets, directories, supplements, inserts/flyers, magazines, books

The Norbright range offers higher brightness properties and an enhanced printed image compared to newsprint. These products are especially well suited to cold set web offset, although they can also be used for heat set.

The paper achieves its higher performance characteristics through the use of modern, twin wire paper machines and enhanced thermomechanical pulping processes.

Caractéristiques de base	ISO					
Grammage	(ISO 536)	(g/m ²)	45*	48.8	52	55
Epaisseur	(ISO 534)	(µm)	66	70	74	79
Densité	(ISO 534)	(kg/m ³)	700	700	700	700
Main	(ISO 534)	(cm ³ /g)	1.5	1.4	1.4	1.4
Blancheur D65	(ISO 2470)	(%)	68	68	68	68
Luminance	(ISO 5631-2)	(D65/10°)	87	87	87	87
Valeur A	(ISO 5631-2)	(D65/10°)	-0.3	-0.3	-0.3	-0.3
Valeur B	(ISO 5631-2)	(D65/10°)	2.0	2.0	2.0	2.0
Opacité	(ISO 2471)	(%)	91.0	92.0	93.0	93.5

FAMILLE DE
PRODUITS:
Norbright 62/65/
Norbright Plus

MÉTHODE
D'IMPRESSIION:
Cold set web offset /
(Heat set web offset)

*Last Updated:
October 2020*

SURFACE:
Matt

PRODUCTEUR:
Skogn

Norske Skog Skogn est
certifié selon:

ISO 9001
ISO 14001
ISO 50001
PEFC Chain of Custody
FSC Chain of Custody
EU Timber Regulation
EU Ecolabel
Paper Profile