

Skogn Norbright 62

End use: Newspapers, direct mail, free-sheets, directories, supplements, inserts/flyers, magazines, books.

The Norbright range offers higher brightness properties and an enhanced printed image compared to newsprint. These products are especially well suited to cold set web offset, although they can also be used for heat set.

The paper achieves its higher performance characteristics through the use of modern, twin wire paper machines and enhanced thermomechanical pulping processes.

Basis Weight (ISO 536) (g/m²) 45* Thickness (ISO 534) (µm) 65 Density (ISO 534) (kg/m3) 690 Bulk (ISO 534) (cm3/g) 1.45 Brightness D65 (ISO 2470) (%) 62 L-value D65 (ISO 5631-2) (D65/10°) 85 a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0 Opacity. (ISO 2471) (%) 93.0	Basic properties	ISO		
Density (ISO 534) (kg/m3) 690 Bulk (ISO 534) (cm3/g) 1.45 Brightness D65 (ISO 2470) (%) 62 L-value D65 (ISO 5631-2) (D65/10°) 85 a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0	Basis Weight	(ISO 536)	(g/m²)	45*
Bulk (ISO 534) (cm3/g) 1.45 Brightness D65 (ISO 2470) (%) 62 L-value D65 (ISO 5631-2) (D65/10°) 85 a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0	Thickness	(ISO 534)	(µm)	65
Brightness D65 (ISO 2470) (%) 62 L-value D65 (ISO 5631-2) (D65/10°) 85 a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0	Density	(ISO 534)	(kg/m3)	690
L-value D65 (ISO 5631-2) (D65/10°) 85 a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0	Bulk	(ISO 534)	(cm3/g)	1.45
a-value D65 (ISO 5631-2) (D65/10°) -0.3 b-value D65 (ISO 5631-2) (D65/10°) 2.0	Brightness D65	(ISO 2470)	(%)	62
b-value D65 (ISO 5631-2) (D65/10°) 2.0	L-value D65	(ISO 5631-2)	(D65/10°)	85
	a-value D65	(ISO 5631-2)	(D65/10°)	-0.3
Opacity. (ISO 2471) (%) 93.0	b-value D65	(ISO 5631-2)	(D65/10°)	2.0
	Opacity.	(ISO 2471)	(%)	93.0

PRODUCT FAMILY: Norbright 65/68, Norbright Plus FINISH: Matt

PRINTING METHOD:

PRODUCER:

Cold set web offset

Skogn

Last Updated: October 2020

ISO 50001 PEFC Chain of Custody FSC Chain of Custody EU Timber Regulation Paper Profile

Norske Skog Skogn is

certified according to:

Paper Profile EU Ecolabel

ISO 9001

ISO 14001

We use cookies

Norske Skog ASAThis website uses cookies to track your behavior and to improve your experience on the site. norskeskog.com Nors You can always delete saved cookies by visiting the advanced settings of your browser. <u>Read more about our cookies.</u>om

Do not accept cookies

Only accept functional cookies

Accept all cookies